



Product manual

Displacement diffusers

SD-Z

Air distribution


Version 1.0.0
Date: 20.05.2024.

AIR DISPLACEMENT DIFFUSER SD-Z

- SD-Z is a semicircular perforated displacement diffuser for installation on a wall or column
- For cooling and fresh air supply in industrial and commercial spaces
- Low turbulence, low outlet velocity
- Increased air quality in residence areas
- For temperature differences up to 6K
- Made out of steel sheet, standard powder coating RAL 9010

Options:

- Damper
- Filter



H/A	400	600	800	1000
500	200	250	315	355
750	200	250	315	355
1000	200	250	315	355
1250	200	250	315	355
1500	200	250	315	355
1800	200	250	315	355
2000	200	250	315	355
B	255	335	435	485



DIFFUSER SD-Z

ORDERING KEY


PRODUCT CALCULATION SOFTWARE

PRODUCT OVERVIEW



Filter

- stabilization filter placed inside diffuser, made out of G4 or G2 class filtration material




 DIFFUSER SD-Z


 ORDERING KEY

 PRODUCT
CALCULATION
SOFTWARE

Discharge pattern SD-Z



 PRODUCT OVERVIEW



DIFFUSER SD-Z

ORDERING KEY

PRODUCT
CALCULATION
SOFTWARE

Ordering key SD-Z

(1) Diffuser	(2) Size	(3) Connection diameter	(4) Filter	(5) RAL
SD-Z	-	400x500	-	315 - G2 - 9010

(1) Diffuser
SD-Z

(4) Filter: G2, G4

(2) Size:
A X H

(5) RAL

(3) Connection diameter **oD**

ORDERING KEYS



AIR DISTRIBUTION

Projektiranje, proizvodnja i održavanje opreme za klimatizaciju, ventilaciju i čiste prostore.
Design, production and service of Ventilation, Air-Conditioning and Cleanroom equipment.

📍 Gradna 78A, 10430 Samobor, Croatia
📞 +385 (0)1 33 62 513
✉️ info@klimaoprema.com
🌐 www.klimaoprema.com